

Getting Started Guide



decora smart™ MINI PLUG-IN OUTLE

Cat. No. DW15P





See the complete line of My Leviton app compatible dimmers, switches and plug-ins at **leviton.com/decorasmart**



The Mini Plug-In Outlet allows you to control electronics, lamps and other devices from a



smartphone or tablet when you are at home or away as long as you have an internet connection. Built-in scheduling lets you turn things on or off at a specific time of day, sunrise or sunset.


A convenient push button provides manual control and simple enrollment to your home Wi-Finetwork.






Indicator light/button

- Shows network connectivity.
- Allows you to turn on/off manually.



The size allows two mini plug-in outlets to be plugged into the same receptacle. WEB VERSION



To install and operate the plug-in outlet:



1. A home Wi-Fi network with high speed internet



2. An iOS (8.0 or later) or Android (4.1 or later) mobile device



3. A My Leviton cloud account (set up through the My Leviton app)



4. An available interior 120VAC outlet




5. A lamp or plug-in device



1. Insert plug-in outlet into any 120VAC receptacle.

NOTE: Your mini plug-in outlet works with GFCI and AFCI protected receptacles, but NOT receptacles that are controlled.



2. When it first powers up, the indicator light will flash green to show it is ready to be configured.

 Using a smartphone or tablet, confirm a strong Wi-Fi signal is available in the area in which you are installing your plug-in.





WEB VERSION



Visit **http://my.leviton.com** and select the link for your smartphone or tablet.





Tap the My Leviton app and install.





Launch the app



- **1.** Launch the My Leviton app.
- **2.**Log in or choose Sign Up for an Account.
- **3.** Follow the instructions on the screen.



Add to your home network

1. Tap Add Device.


 Follow the app instructions to add your device to your home network.





8








1. Open the My Leviton app.

2. Tap bulb icon to turn on/off.













Visit **my.leviton.com** for a complete list of compatible smart home products.





If your plug-in outlet is not performing as expected, the My Leviton app contains a Support section with FAQs and instructions.

Try these steps first:



- Make sure your plug-in outlet is being supplied from a 120VAC, 50/60Hz source ONLY.
- Make sure the lamp or appliance you're controlling is working (local switch is ON) and check for burned-out bulbs.
- Make sure the lamp or appliance you're controlling does not exceed the 15A limit.

If you need to reset to factory default:

- 1. Press and hold the button.
- 2. After the first 7 seconds it will turn amber. Continue holding.
- After 14 seconds, it will quickly flash red/amber. Release button and your plug-in device is reset.



Your plug-in outlet works with:

RATINGS	
General Use	15A - 120VAC, 50/60Hz
Magnetic	15A - 120VAC, 50/60Hz
LED / CFL	5A - 120VAC, 50/60Hz
Incandescent	1500W - 120VAC, 50/60Hz
Motor	3/4 HP - 120VAC, 50/60Hz
Operating Temp	0°C - 40°C (32°F - 104°F)
Operating Humidity	0-90% non-condensing
NETWORK	
Wi-Fi	802.11 a/b/g/n @ 2.4GHz and 5GHz
Security	WPA or WPA2



THE VERSION



WARNING: TO AVOID FIRE, PERSONAL INJURY OR DEATH DO NOT USE the

remote for the control of high power heating appliances such as portable heaters. There can be some unexpected consequences if not used with care. For example, an empty coffee pot can be remotely turned on. If that should happen, your coffee pot could be damaged from overheating. If an electric heater is turned on by remote control while clothing is draped over it, a fire could result. This module will not control lighting that is used with electronic low-voltage and high frequency power supply transformers, nor high pressure discharge lamps (HID lighting). This includes mercury-vapor, sodium vapor and metal halide lamps.

WARNINGS:

- This product is to be installed and/or used in accordance with electrical codes and regulations.
- Indoor use only
- If you are unsure about any part of these instructions, consult an electrician
- To reduce the risk of overheating and possible damage to other equipment do. not install to control a motor-operated receptacle, fluorescent lighting fixture,
- Unplug unit when servicing loads.
- or a transformer supplied receptacle, nubicscent tighting rictary receptacle, nubicscent tighting rictary receptacle. Unplug unit when servicing loads. Leviton Wi-Fi enabled devices rely on Wi-Fi communication. Increasing the number of Wi-Fi devices can affect Wi-Fi performance. Consult the network's wireless access point specifications to determine the maximum number of supported Wi-Fi devices. For installations with a large number of Leviton Wi-Fi devices a bird performance wireless access point canable of supported wireless. Leviton Wi-Fi enabled devices rely on Wi-Fi communication. Increasing the devices, a high performance wireless access point capable of supporting a large number of devices may be required.
- Save this instruction sheet. It contains important technical data along with testing and troubleshooting information which will be useful after installation is complete.

Limited 5 Year Warranty & Exclusions

For Leviton's limited product warranty, go to **www.leviton.com.** For a printed copy of the warranty, call 1-800-824-3005.

FOR CANADA ONLY

For warranty information and/or product returns, residents of Canada should contact Leviton in writing at Leviton Manufacturing of Canada Ltd to the attention of the Quality Assurance Department, 165 Hymus Blvd, Pointe-Claire (Quebec), Canada H9R IE9 or by telephone at 1-800-405-5320.

FCC COMPLIANCE STATEMENT

Contains FCC ID: VPY-LB1GC

The enclosed device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (i) This device may not cause harmful interference (ii) This device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by Leviton could void the user's authority to operate this equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC CAUTION

Any changes or modifications not expressly approved by Leviton Manufacturing Co., Inc., could void the user's authority to operate the equipment.

FCC SUPPLIER'S DECLARATION OF CONFORMITY

Model DW15P - Mini Plug-In Outlet is manufactured by Leviton Manufacturing Co., Inc. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC STATEMENT

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

RF EXPOSURE AND CO-LOCATION

To comply with FCC OET Bulletin 65 and ISED RF exposure limits for general population and uncontrolled exposure, this device shall be installed and operated with a minimum distance of 7.9 inches (20 cm) between the radiator and your body. Also, must not be co-located or operated in conjunction with any other antenna or transmitter.

Copyright and Trademark Information

Decora is a registered trademark of Leviton Manufacturing Co., Inc. Google Play, Android, App Store, Apple iOS, Google Assistant, Nest and IFTIT are the trademarks of their respective owners and any use of such marks by Leviton is under license. Alexa, and related logos are trademarks of Amazon.com, Inc. or its affiliates. Wi-Fi CERTIFIED logo is a trademark of the Wi-Fi Alliance. Use herein of other third party trademarks, service marks, trade names, brand names and/or product names are for informational purposes only, are/may be the trademarks of their respective owners; such use is not meant to imply affiliation, sponsorship, or endorsement. No part of this document may be reproduced, transmitted or transcribed without the express writtem permission of Leviton Manufacturing Co., Inc.

If you need help...

CALL 1-800-824-3005 (USA) 1-800-405-5320 (Canada)

ONLINE RESOURCE



CHAT www.leviton.co

EMAIL dssupport@leviton.com

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747 Telephone: 1-800-824-3005

Visit Leviton's website at http://www.leviton.com © 2018 Leviton Manufacturing Co., Inc. All rights reserved.

Specifications and price subject to change at any time without notice.