
WarmlyYours
Be Connected.
Be Warm. Be Radiant.

WARMLYYOURS LED MIRRORS

WarmlyYours LED Mirrors

The Finishing Touch, Perfectly Lit



WarmlyYours LED mirrors pull the room together with flattering, true-to-life light built into the glass.


Marquee Series Frameless and modern. Pure glass edged in light, made for clean, contemporary spaces.

Marquee Signature Series Framed in Matte Black or Brushed Gold to match your fixtures. Front and back lighting and a built-in defogger.

MARQUEE SERIES | OVERVIEW

The Marquee Series
Frameless LED Mirrors

No border, just glass and light. The frameless Marquee mirrors cast a soft glow onto the wall around them, so the glass seems to float, and most can hang horizontally or vertically to fit a single vanity or a double.



All frameless models: copper-free mirror, hardwired, IP44, cULus-listed components, 50,000-hr LEDs, 2-year warranty.

MARQUEE SERIES MODEL

The Marilyn

Inspired by the screen siren who made every close-up count, the Marilyn brings golden-age glamour to the vanity. A frosted inner ring diffuses the backlight into a bright, daylight glow, and 90+ CRI LEDs show skin tones true to life.

It's flattering light with a little star power, and a soft focal point for powder rooms and smaller vanities.



27.5″ round · 2,204 lumens · 5000K daylight · Ideal for powder rooms & smaller vanities

WarmlyYours
Be Connected.
Be Warm. Be Radiant.

MARQUEE SERIES | SPECIFICATIONS

Marilyn Specifications

SKU	MR-27RND-MRL
Size	27.5″ Diameter
Weight	20 lbs, 3 oz
Shape	Round
Depth	1.25″
Edge	Frosted pencil
Lumens	2,204 lm
Color Temp	5000K
CRI	90+
Watts / Amps	20 W / 0.17 A
Voltage	120 V, 50/60 Hz
Certification	cULus listed components
IP Rating	IP44 (splash-proof, damp-rated)
MSRP (US)	**$380**

MARQUEE SERIES | MODEL

The Audrey

Inspired by the icon of effortless elegance, the Audrey is a classic rectangle that never goes out of style. A frosted inner frame and finely polished beveled edge give it quiet refinement, while up to 3,917 lumens of 90+ CRI light keep every detail true and in view. Timeless, graceful, and at home in any design.



36″ × 24″, 40″ × 28″ or 48″ × 24″ · 5000K daylight · Touch on/off · Hangs horizontally or vertically

MARQUEE SERIES SPECIFICATIONS

Audrey Specifications

Depth	1.25″
Edge	Polished tiny bevel
Color Temp	5000K
CRI	90+
Voltage	120 V, 50/60 Hz*
Certification	cULus listed components
IP Rating	IP44 (splash-proof, damp-rated)
Mounting	Horiz. or Vert.

Specifications by Size

	36″ × 24″
SKU	MR-3624D-AUD
Size	36″ × 24″
Weight	27.2 lbs
Lumens	3,024 lm
Watts / Amps	26.88 W / 0.22 A
MSRP (US)	**$440**

	40″ × 28″
SKU	MR-4028D-AUD
Size	40″ × 28″
Weight	33.0 lbs
Lumens	3,686 lm
Watts / Amps	30.72 W / 0.25 A
MSRP (US)	**$460**

	48″ × 24″
SKU	MR-4824D-AUD
Size	48″ × 24″
Weight	35.0 lbs
Lumens	3,917 lm
Watts / Amps	32.64 W / 0.27 A
MSRP (US)	**$500**

All Audrey sizes: 1.25″ depth · Polished tiny bevel edge · 5000K · CRI 90+ · Horiz. or Vert. mounting * 36″ × 24″ is 60 Hz only

MARQUEE SERIES MODEL

The Ingrid

> *Inspired by the leading lady whose beauty never needed embellishment, the Ingrid is a study in understatement. Two parallel frosted bars cast 1,944 lumens of soft, even, 90+ CRI light. It's minimalist, luminous and quietly confident.*



24″ × 36″ · 5000K daylight · Touch on/off · Hangs horizontally or vertically

MARQUEE SERIES SPECIFICATIONS

Ingrid Specifications

SKU	MR-3624D-ING
Size	24″ × 36″
Weight	26.8 lbs
Shape	Rectangle
Depth	1.25″
Edge	Polished bevel
Lumens	1,944 lm
Color Temp	5000K
CRI	90+
Watts / Amps	20 W / 0.17 A
Voltage	120 V, 50/60 Hz
Certification	cULus listed components
IP Rating	IP44 (splash-proof, damp-rated)
Mounting	Horiz. or Vert.
MSRP (US)	**$440**

MARQUEE SERIES MODEL

The Judy

Inspired by the showstopper who was always ready for her cue, the Judy is made for the details of daily grooming. A 6.25″ 3X magnifier with its own ring of light brings every line into focus, and a built-in defogger keeps a 15.75″ × 14.96″ area clear after a hot shower. One touch switches between 3000K warm and 6500K cool light, so you can see how you'll look by candlelight or daylight.



36″ × 24″ · 3X magnifier · Built-in defogger · 3000K warm / 6500K cool

MARQUEE SERIES SPECIFICATIONS


Judy Specifications

SKU	MR-3624H-JUD
Size	36″ × 24″
Weight	27.7 lbs
Shape	Rectangle
Depth	1.25″
Edge	Polished compound bevel
Lumens	1,620 lm
Color Temp	3000K / 6500K
CRI	90+
Watts / Amps	20 W / 0.17 A
Voltage	120 V, 50/60 Hz
Certification	cULus listed components
IP Rating	IP44 (splash-proof, damp-rated)
Mounting	Fixed (horizontal)
Defogger	15.75″ × 14.96″
Magnifier	3X (6.25″ dia.)
MSRP (US)	**$440**

MARQUEE SERIES | CONTROLS

Marquee Series: Controls

Tap the glass, and the light comes on.



Electrical: hardwired 120V AC circuit connection. Operates with standard 120V on/off circuits; not compatible with line-voltage wall dimmers.

On-Glass Touch Sensor

A seamless touch icon etched directly into the glass maintains a sleek, minimalist profile with no mechanical switches or wall-plate clutter.


- Audrey, Ingrid & Marilyn: One-touch On/Off for consistent 5000K daylight illumination.
- The Judy: One-touch cycling between 6500K Cool Daylight and 3000K Warm Light, with the integrated heated defogger activating automatically when illuminated.

> *Want stepless dimming, dual lighting (front and backlit), or designer metal frames? See the Signature Series.*

MARQUEE SIGNATURE SERIES | OVERVIEW

The Marquee Signature Series
Framed LED Mirrors

The Marquee Signature Series frames light with intention. Seamless aluminum in Matte Black or Brushed Gold wraps dual front-and-back lighting, while integrated 3-button touch sensors give you effortless control over dimming, color temperature, and built-in defogging.



All Signature models: copper-free mirror with safety film backing, dual-connect (hardwire or plug-in), IP44, whole-fixture cETLus, 3-year warranty.

MARQUEE SIGNATURE SERIES | MODEL

The Brando

Inspired by the screen legend who made raw, magnetic cool look effortless, the Brando brings bold lines and graphic contrast to the modern bath. Its Matte Black frame sharpens every edge, while front and back lighting casts a soft halo on the wall. Pair it with matte black faucets and hardware for a look that commands the room.



24″ × 36″ · Matte Black frame · Front-lit + backlit · Built-in defogger

MARQUEE SIGNATURE SERIES SPECIFICATIONS

Brando Specifications

SKU	MRMF-2436D-F0RB
Frame	Matte Black aluminum
Shape	Rectangle
Size	24″ × 36″
Weight	15.80 lbs
Depth	1.19″
Lighting	Front-lit + backlit
Lumens	2,125 lm
Color Temp	3 settings: Warm (2700K) / Neutral / Cool (6500K)
CRI	90+
Watts / Amps	56.2 W / 0.47 A
Voltage	120 V, 60 Hz
Connection	Dual-connect: hardwired or plug-in (cULus cord included)
Certification	cETLus (whole fixture)
IP Rating	IP44 (splash-proof, damp-rated)
Defogger	12.2″ × 17.7″, 1-hr auto shut-off
Mounting	Horiz. or Vert.
Warranty	3 yr
MSRP (US)	**$439**

MARQUEE SIGNATURE SERIES | MODEL

The Elizabeth

Inspired by the screen legend famous for her love of fine jewelry, the Elizabeth wraps the glass in Brushed Gold for warm, quiet luxury. Hang it vertically over a powder-room sink or horizontally across a double vanity. Pair it with brushed gold faucets and hardware for a finish that feels like jewelry for the bath.



24″ × 36″ · Brushed Gold frame · Front-lit + backlit · Built-in defogger

MARQUEE SIGNATURE SERIES SPECIFICATIONS

Elizabeth Specifications

SKU	MRMF-2436D-F0RG
Frame	Brushed Gold aluminum
Shape	Rectangle
Size	24″ × 36″
Weight	13.00 lbs
Depth	1.19″
Lighting	Front-lit + backlit
Lumens	2,125 lm
Color Temp	3 settings: Warm (2700K) / Neutral / Cool (6500K)
CRI	90+
Watts / Amps	56.2 W / 0.47 A
Voltage	120 V, 60 Hz
Connection	Dual-connect: hardwired or plug-in (cULus cord included)
Certification	cETLus (whole fixture)
IP Rating	IP44 (splash-proof, damp-rated)
Defogger	12.2″ × 17.7″, 1-hr auto shut-off
Mounting	Horiz. or Vert.
Warranty	3 yr
MSRP (US)	**$499**

MARQUEE SIGNATURE SERIES | MODEL

The Dean

Inspired by the original rebel with effortless cool, the Dean pairs a curved capsule shape with a Matte Black frame. The dark border makes the light look even brighter, creating a gallery-modern centerpiece. Pair it with matte black faucets and hardware for a look that's sleek, dark and a little defiant.



24″ × 42″ capsule · Matte Black frame · Front-lit + backlit · Built-in defogger

MARQUEE SIGNATURE SERIES | SPECIFICATIONS

Dean Specifications

SKU	MRMF-2442U-F0VB
Frame	Matte Black aluminum
Shape	Capsule
Size	24″ × 42″
Weight	15.40 lbs
Depth	1.19″
Lighting	Front-lit + backlit
Lumens	2,125 lm
Color Temp	3 settings: Warm (2700K) / Neutral / Cool (6500K)
CRI	90+
Watts / Amps	56.2 W / 0.47 A
Voltage	120 V, 60 Hz
Connection	Dual-connect: hardwired or plug-in (cULus cord included)
Certification	cETLus (whole fixture)
IP Rating	IP44 (splash-proof, damp-rated)
Defogger	12.2″ × 17.7″, 1-hr auto shut-off
Mounting	Horiz. or Vert.
Warranty	3 yr
MSRP (US)	**$439**

MARQUEE SIGNATURE SERIES | MODEL

The Grace

Inspired by the screen star who became a real-life princess, the Grace brings poised, polished elegance to the bath. Softly rounded edges meet a Brushed Gold frame, and the LEDs follow its curve for an even, graceful glow. Pair it with brushed gold faucets and hardware for a look that's refined, warm and effortlessly regal.



24″ × 42″ capsule · Brushed Gold frame · Front-lit + backlit · Built-in defogger

MARQUEE SIGNATURE SERIES | SPECIFICATIONS


Grace Specifications

SKU	MRMF-2442U-F0VG
Frame	Brushed Gold aluminum
Shape	Capsule
Size	24″ × 42″
Weight	15.20 lbs
Depth	1.19″
Lighting	Front-lit + backlit
Lumens	2,125 lm
Color Temp	3 settings: Warm (2700K) / Neutral / Cool (6500K)
CRI	90+
Watts / Amps	56.2 W / 0.47 A
Voltage	120 V, 60 Hz
Connection	Dual-connect: hardwired or plug-in (cULus cord included)
Certification	cETLus (whole fixture)
IP Rating	IP44 (splash-proof, damp-rated)
Defogger	12.2″ × 17.7″, 1-hr auto shut-off
Mounting	Horiz. or Vert.
Warranty	3 yr
MSRP (US)	**$499**

MARQUEE SIGNATURE SERIES | CONTROLS

Signature Series: Controls

Set it once, and it remembers.



The mirror remembers the last light level and color setting, so it comes back on as you left it, whether you use the touch sensors or a standard wall switch.

Three Frosted Touch Buttons

Every Signature mirror (Brando, Elizabeth, Dean and Grace) has three frosted touch buttons.

1. Button 1 – Power and stepless dimming: tap for on/off, press and hold to dim or brighten.
2. Button 2 – Color temperature: cycles three settings, warm 2700K, neutral and cool 6500K.
3. Button 3 – Defogger: clears a 12.2″ × 17.7″ area and shuts off automatically after one hour.

> *Prefer a round mirror, a larger size or a built-in magnifier? See the Frameless Collection.*

WARMLYYOURS | CONTACT

WarmlyYours

The Finishing Touch, Perfectly Lit

Phone: 800-875-5285

Sales: sales@warmlyyours.com

LED Mirrors: **warmlyyours.com/led-mirrors**

Scan to view full spec sheets, CAD files, and installation manuals.

Trade & Support Services

- Dedicated Trade Account Specialists
- 24/7 installation support
- Trade discount programs
- Display and sample ordering

© 2026 WarmlyYours. All rights reserved. Prices shown are US MSRP. Specifications subject to change.